

wienerberger Clay Roof Tiles

Veneton 13

Where Resilience Meets Elegance



Elevate your roof with the finest clay tiles, **crafted with European precision**

Built to Last

Designed to Impress

Experience the perfect harmony of style and resilience with Veneton 13, where every Roof tile delivers unparalleled quality and sophistication.

Meticulously manufactured in Europe and engineered to meet the demands of India's diverse climatic conditions, Veneton 13 is more than just a roof tile - it's a long-term investment in aesthetics, value and performance.



The Advantages of **Veneton 13**

Crafted by Nature, Proven by Time.
Exquisite and Everlasting.



Natura

Terracotta
Antique



Sand
Antique

- **Unmatched Strength & Exceptional Longevity** - Engineered to endure heavy rain, high winds, and extreme heat, offering long-lasting performance in all weather conditions.
- **Available in 3 Premium Engobed Colours** - Natura, Terracotta Antique, Sand Antique
- **Double Groove Interlock System** - Designed for complete water tightness, ensuring reliable protection against leakage even during heavy rainfall
- **Anti-lift Design** - Pre-formed nail holes offer secure anchoring, effectively minimizing the risk of wind upliftment
- **Superior Thermal Insulation** - Naturally keeps your home cool in summer and warm in winter, contributing to energy efficiency and year-round comfort.

Technical Excellence

- Precision-engineered pressed tile, ideal for all forms of pitched roofing
- Innovative designs ensures superior depth and interlocking for better sealing
- Engineered to prevent water seepage and remains unaffected by strong winds
- Withstands extreme temperatures from -40°C to +100°C
- Compatible with 330-350 mm sliding roof battens, making it perfect for both new installations and seamless replacements
- Ideal for renovation


Technical Specifications

▪ Length x Width	440 x 275 mm
▪ Weight Per Tile	3.2 kg
▪ Sliding Range (Batten Spacing)	330-350 mm
▪ Requirement Per Sq.m	13.6 tiles
▪ Min. Slope Requirement	25°



Range of Roof Fittings and Components

A well-balanced offer of fittings as gable tiles, ridges, hips and valleys enables the realization of a complete clay roof.



FITTINGS



a. Ridge



b. Verge



c. Hip End/
Starter




d. Ridge End



e. 3 Way Apex

COMPONENTS



1. Premium Reflex/ Barrier Alu



2. Koraflex



3. Valley Sheet



4. Ridge Roll



5. Roof Window

Why Choose Clay Roof Tiles?



Durable

Clay roof tiles are robust, dimensionally stable, and built to last for over 100 years, ensuring long-term value and peace of mind.



Weather Resistant

Naturally resistant to extreme temperatures, moisture, and UV radiation, making them ideal for diverse Indian climatic conditions.



Aesthetic and Appearance

Available in a wide range of colours and finishes, clay tiles offer timeless beauty and architectural flexibility to suit any design style.



Energy-efficient

Thanks to their natural insulation and thermal mass, clay roof tiles help reduce energy consumption by keeping interiors cooler in summer and warmer in winter.



All Natural

Made from just clay and water, these tiles are a sustainable choice, free from harmful chemicals and 100% recyclable, embodying eco-friendly construction.



Wienerberger India Private Limited

88/4, Richmond Road, Richmond Town,
Bengaluru, Karnataka - 560 025

+91 80 4149 1682/7

marketing@wienerberger.in

www.wienerberger.in

Brought to you by:

wienerberger, the World leader in Clay building materials

200+ Years | 200+ Factories | 28 Countries

wienerberger has become the foremost authority when it comes to natural, sustainable, green building material solution provider. We are headquartered in Vienna, Austria.